
Use of the


P/044/63/000/001/001/002 E192/E382


f is the focus of the photocarbine, D is the dimension of the target, K is the transverse dimension of the target, d_2 is the longitudinal dimension of the target on the photograph and d_1 is the transverse dimension of the target on the photograph. If the data of the target are known, it is possible to determine ϕ and L; when these are not known, only ϕ can be calculated. The errors in the bombing can be determined by comparing the calculated data and the actual figures of the photobombing with the tabulated bombing data and taking into account the relationship between the conditions of flight and the aiming of the bomb. Evaluation of the errors in bombing is based on determining the error due to variation in the predetermined flight velocity $(\Delta \ V)$ and the error due to variation in the height of flight $(\Delta \ H)$. These are directly proportional to $\Delta \ V$ and $\Delta \ H$ and can easily be calculated. There are 3 figures and 1 table.


Card 2/3




"The economic importance of the electrification of our railrodus."; (<u>Nova Proinvoluva</u> . Vol. 4, no. 3/4, Sept. 1953. Ljubljana.)
SO: Monthly List of East European Accessions. Vol. 3, no. 3. Library of Congress. March 1954. Uncl.










HERAK,M.; JACODIC, V.

Possibility of separating europium from uranium by the extraction method; abstract. Glas Hem dr 27 no.9/1014/90 *64

1. The Ruder Boskovic Institute, Department of Radiochemistry

1. The Ruder Boskovic Institute, Inorganic Chemistry, Zagrob.

and Department of Structural and Inorganic Chemistry, Jacobs.



POLAND/Physical Chemistry. - Colloid Chemistry. Dispersed Systems. I

: Ref Zhur Khimiya, No 19, 1959, 67452 Abs Jour

: Krause, Alfons; Belzynka, Maria; Jagodzinska, Wanda Author

Inst

: Protective and Stabilizing Effect of the Hydrosol of Title

Iron Orthohydroxide in a Mixed Sol of Trivalent Iron

Hydroxides.

: Roczn. chem., 1958, 32, No 6, 1397-14(X) Orig Fub


: Acid peptization of the x-ray crystallic Fe- hydroxides: Abstract


T-FeOCH and goethite (& -Fe203.H20) leads to the formation of yellow turbid hydrophobic sols which leave a deposit on glassware. The red hydrosols produced in the peptization of x-ray amorphous Fe orthohydroxide are transparent and stable. It was shown by means of sedimentation measurements and measurements of the degree of precipitation by starch that the orthosol protects the


-FeOOH-sol in mixed hydrosols; half the weight of


Card 1/2


APPROVED FOR RELEASE: 08/10/2001 CIA-RDP86-00513R000619420004-5"























DUB, O.; VOLEK, V.; JAGOS, V.


Non-specific eosinphil curve in adrenalin test. Cas. lek. cesk. 90 no.51-52:1509-1516 28 Dec 51. (CLML 21:5)

1. Of the Internal Department and Central Laboratory of State Regional Hospital, Liberec.

JACOSZEWSKI, Eugeniusz, mgr., inz., st. asystent

Differential method for determining aspheric murface curvatures of Koerte's mirror. Pizyka Wrocław 3 no.48:3-8 '61.

1. Katedra Fizyki Politechniki Wrocławskiej.





JAGR, J.


"A cutting machine for abestos cement slabs."

p. 229 (Mechanisace, Vol. 5, No. 6, June 1958, Praha, Czechoslovakia)

Monthly Index of East European Accessions (EFAI) LC, Vol. 7, No. 9, September 1958.







YUGOSLAVIA/Chemical Technology. Chemical Froducts and Their Applications. Corrosion. Corrosion Control.

Abs Jour: Ref Zhur-Khimiya, No 6, 1959, 19793

: Krosar, L., Jagrovic O., Podbreznik, F.

Author

: Protection of Calvanized Iron Roofs. Inst Title

Orig Pub : Zast. mater., 1958, 6, No 3, 129-133

Abstract : For corrosion control of galvanized iron roofs (GR) in the presence of marine and industrial atmospheric conditions, an additional one- and, more often, two-layered coating is necessary. As a primer Pb304 can be used, as well as paints which contain zinc chromate or Zn dust. For the

: 1/3 Card

14-10

CIA-RDP86-00513R000619420004-5" APPROVED FOR RELEASE: 08/10/2001

YUGOSLAVIA/Chemical Technology. Chemical Products H and Their Applications. Corrosion. Corrosion Control.

Abs Jour: Ref Zhur-Khimiya, No 6, 1959, 19793

application of the surface protective coat, oil paints, amide resins as well as paints with a base of chlorinated rubber, pigmented bitumens and Zn dust with various adhesives can be used. Chlorinated rubber coatings have the best protective properties in an acid atmosphere. Adhesion of paints on Fe which was electrolytically zinc-plated is higher than on that plated by the thermal method. The best results are obtained through cleaning with an 8 percent H2SO4 or a 4-8 percent phosphoric acid; in the latter case, the corrosion resistance

card : 2/3

YUGOSLAVIA/Chemical Technology. Chemical Products H and Their Applications. Corrosion. Corrosion Control.

Abs Jour: Rof Zhur-Khimiya, No 6, 1959, 19793

application of the surface protective coat, oil paints, amide resins as well as paints with a base of chlorinated rubber, pigmented bitumens and Zn dust with various adted bitumens and Zn dust with various adted bitumens and Zn dust with various adted to be used. Chlorinated rubber coatings have the best protective propercoatings have the best protective propercoatings in an acid atmosphere. Adhesion of ties in an acid atmosphere. Adhesion of paints on Fe which was electrolytically paints on Fe which was electrolytically

card : 2/3

COUNTRY

CATEGORY : Chemical Technology. Chemical Products and Their

Applications, Leather, Fur. Gelatine, Tanning *

: RZhKhim., No 17, 1959, No. 63°15 ABS. JOUR.

AUTHOR : Bayer, Z.; Ludviger, E.; Jahanides, V.

INSTITUTE

: Economical Advantages of Preserving Hides by Em-TITLE

ploying Salt, Containing Antihiotics.

ORIG. PUB. : Koza i obuca, 1958, 7, No 10, 449-453

ABSTRACT : Based on many years' experience the results per-

taining to the preservation of hides, employing salt to which antibiotics are added, are presented. This method results in the salt economy up to 50% with the improvement of physico-chemical

properties of finished leather.

*Materials. Industrial Proteins.

1/1 Card:

H - 167

JAHANOVSKA, Kveta; JEZEK, Vlastimil; SOVA, Josef

Polygraphic picture of complete sino-ventricular block, Sborn.
lek, 61. no.10:289-305 0 '59.

1. II. interni klinika fakulty vseobecneho lekarstvi University
Karlovy v Praza, prednosta prof.dr. Frantisck Harles.

(HEART ELCOX diag.)


JAHELKA, MIROSLAV.


Gumarenske stroje. (Vyd. 1.)


Praha, Czechoslevakia. Statni nakl. technicke literatury, 1958. 282 p.


Monthly list of East European Accessions (EEAI) LC, Vol. 9, no. 1, January 1960. Uncl.

APPROVED FOR RELEASE: 08/10/2001 CIA-RDP86-00513R000619420004-5"









JABE, A.

JABE, A. I. Loue P's "General class of the Altine Area of Fralcy in In the Low later Franchism end V. February 18 "Class Jereations are restigned a Accumulations in Small and Jorge Cold Velleys in the High later Econteins"; a review of two articles. p. 309.

Vol. 26, No. 4, 195


CLASCHISC CACCRAPIDATE.
Poland
GECCHAPIT & CECICO


So: Best Europeen Accessions, Vol. 5, No. 5, Nay 1956


JAHN, ALFRED


JAHN, ALFEED. Wyzyna lubelska; rzezba i czwartorzed. Warezawe, Fee twowe Wydowa. Neukowe, 1956. 45_ p. (Pelska Akademia Nauk. Instytut geografi). Prace geograficzne, nr. 7) (Lubin Plateau; geomorphology and the Quaternary. English and Russian summaries. illus., maps (part fold.), blbl., dia rs, footnotes, graphs, index)


SCURCE: East European Accessions List (EEAL) Vol. 6, No. 4-April 1957

























JAHN. Alfred, ord. prof., dr.


The raised shore lines and beaches in Hornsund and the problem of postglacial vertical movements on Spitebergen. Przegl geogr Suppl. no v.31:143-178 '59. (KEAI 9:6)


1. Head of the Department of Physical Geography of the Geographical Institute of the Wroclaw University, Wroclaw. (Spitebergen-- Shore lines)


JAMM, Alfred prof., dr., (Wroclaw 9, ul. Puretn 24) Geographical problemsof Alaska in the light of a research journey made in 1970. Czasopismo Geograficzne 32 no.2:115-181 1. Uniworsytet, Wroclaw.















shaft into the flooding space upper pressure chamber of with respect to the exit oper rotating wheel at least by or transport wheel. [KS]	the suction stage ining of the transpo	n which the int rt channel tow	ake opening ard the direc	is stepped tion of the
SUB CODE: 13/SUBM DAT	E: 19Jun64/	•		
		•		
•	`			
	•			










STANOSEK, J.; BOLAESKI, Z.; LAHRS, K.; GAEGORTYK, C.; MARTELEGEFA, H.

Gamma-glutamyl transpeptidase activity and serum bilirubin digincuronide level in viral hepatitis and their comparison with other
liver tests. Pol. tyg. lek. 20 no.38:14.07-12.09 20 3 165.

1. / Kliniki Chorob Zakaznych Slaskiej AM w Bytomiu (Elerewnik:
prof. dr. med. Karol Szymonski) 1 z Katedry i Zakłada Chemii
Fizjologicznej Slaskiej AM w Zabrzu-Rokitnicy (Kierownik: prof.
dr. Stanislaw Jozkiewicz).




KASHECI, P. (Tirana); JAHO, S. (Tirana); HILLE, A., dr. [translator]

Some characteristics of temperature and precipitation in Albania. Idojaras 65 no.2:86-92 Mr-Ap *61.


1. "Idojaras" szerkeszto bizottsagi tagjai.


 ${\bf x}_i$


registas distribuiras atar deserbas participas di participas di mercandin di di administrativa de la companya d \$/263,62/000/014/013/016 1007/1207 **AUTHOR:** Jahn, Vladimir TITLE: Radiator filling-cap Referativnyy zhurnal, otdel'nyy vypusk. 42. Silovyye ustanovki, no. 14, 1962, 56, abstract PERIODICAL: 42.14.340 (Czech patent, class 46 c-4, 11, no. 93651, January 15, 1960) TEXT: A design for a high-pressure radiator cap is proposed. The cap is provided with three packings. The external packing closes tightly the filling hole of the radiator; the intermediate packing serves as a safety valve of the spring type, adjustable within a pressure limit of 0.01 atm; the third packing represents a check valve for the inlet of air into the radiator in case of vacuum formation in the latter. The radiator cap is provided with a special button for reduction of vapor pressure within the radiator. There is 1 figure. [Abstracter's note: Complete translation.] Card 1/1



<u></u>	: ELL PA, I.: VII. VII. VI.
The stiffe	ning of large vibrating curfaces. g. "7
Old On Their	1.1 ('inisterm've temkelm' ntrojim-motvi, inistermive pre mebo strojimemotvi a Ministermive mot motifieve a programa nemedalskych otroju). Mol. 5, Mo. 10, Cat. 1977
Fraha, Cze	echoslicantia
	Mat European List (E-AL) - Visrary of Congress, Vol. 1, Vanuary 1957










SO: Monthly List of East European Accessions, Vol 2 No 9 Library of Congress Sept 53 Uncl


JAHODA, K.
"Pipes For Natural Gas And The New Law Concerning Mining" p. 254. (Gaz, Woda I Technika Sanitarna, Vol. 27, no. 9, Sept. 1953. Warszawa.)


East European Vol. 3, No. 2,
So: Monthly List of Accessions, Library of Congress, February, 1954 1953, Uncl.













































MARKOTA, N.

Production resultions, confir, testing, and production cost of bituminous building appreciates.

P. 30, (Silnice) Vol. 3, no. 2/0, July/Aug. 1097, Prohe, Enchastovekie.

So: Monthly Index of Sast European Advisions (E AI) Vol. 3, No. 11 November 1057







"Experiences in planning the construction and operation of condenser electric power plants. (conclusions)."

p. 48 (Technicke Zpravy) No. 5, 1956
Prague, Czechoslovakia

S0: Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no 4, April 1958






Effect of the size of the grinder on bower consumption.

p. 49
Vol. 10, no. 3, Mar. 1955
PAPIR A CEIULOSA
Praha, Czechoslovakia

SO: Monthly List of East European Accessions, (ESAL), IC, Vol. 5, no. 2
February 1956, Uncl.



JAISECKI, A.

The regulation of trussings in vaulted constructions. p. 11.

BUDCWNICTWO PRZEMYSLOWE. (Ministerston Budownictwa Przemyslowego) Warszawa, Vol. h,
No. 10, Oct. 1955.

SOURCE: East European Accessions List (EEAL), Library of Congress.

Vol. 5, No. 7, July 1956.

JAJIC, Ivo, dr.

Primary rehabilitation of rheumatold arthritis patients. Remathian 12 no.1812-14 165

l. Bolnica za reumatske bolesti i rembilitaciju "Splitske Toplice", Split.

APPROVED FOR RELEASE: 08/10/2001 CIA-RDP86-00513R000619420004-5"


1/1

LESINSKI, Jan; JAJSZCZAK, Stanislav; WNUK, Jozef

Effect of staphylococcal toxins on the development of fetuses of experimental animals. Ginek. pol. 34 no.1:65-79 '63.

1. Z Kliniki Poloznictwa i Chorob Kobiecych Instytutu Matki i Dziecka w Warszawie Kierownik Kliniki: prof. dr med. J. Lesinski Dyrektor Instytutu: prof. dr med. B. Gornicki Z Wytworni Surowic i Szczepionek Dyrektor: dr S. Bruezinski. (TOXINS AND ANTITOXINS) (STAPHICCCCUS)

(FETUS) (PREGNANCY, ANTMAL)



EMDROCZI, Elemer; MESS, Bela; KOVACS, Sandor; JAKAB. Agnes

Effects of hypothalamus lesions on the function of the adrenocortico-pituitary system. Kiserletes orvostud. 8 no.2: 186-191 March 56.

1. Pecsi Orvost. Elettani is Anat. Intezete.
(HYPOTHALAMUS, dis.
exper. lesions, eff. on funct. of adrenocortico-pituitary system in rats. (Hun))
(ADREMAL CONTEX, physiol.
adrenocortico-pituitary system, eff. of exper. hypothalamus lesions in rats. (Hun))
(PITUITARY GLAND, physiol.
same)

